## **AUTHOR INDEX**

ACHIWA, K., 314 AQEEL, A., 253 ARGAY, G., 13, 19

Balza, F., 171 Banaszek, A., 13, 19 Bax, A., 35, 47 Beigelman, L. N., 219 Belton, P. S., 162 Beltrame, P. L., 71 Brennan, P. J., 299 Bush, C. A., 133 Byrd, R. A., 47

Calhoun, L. A., 113 Carniti, P., 71 Cerezo, A. S., 317 Chújó, R., 145 Claesson, A., 233

DESCOTES, G., 195 DUDDECK, H., 101

EGAN, W., 47 ERMOLINSKY, B. S., 219

FENNESEY, P. V., 133 FOCHER, B., 71 FURNER, R. L., 123 FURÓ, I., 27

GLUZIŃSKY, P., 13, 19 GOWDA, D. C., 263 GURSKAYA, G. V., 219

HASHIMOTO, H., 253 HEYRAUD, A., 71 HUNTER, S. W., 299

INOUE, Y., 156

Jansson, A. M., 233 Jansson, P.-E., 271 Jarosz, S., 211

Kalichevsky, M. T., 162 Kálmán, A., 13, 19 Karpeisky, M. Ya., 219 Kenne, L., 271 King, R. R., 113 Kobayashi, S., 156 Kovács, J., 101 Krajewski, J. W., 13, 19 LAFONT, D., 195 LERNER, L., 35 LI, S.-C., 133 LI, Y.-T., 133 LIPPMAA, E., 27 LUTHMAN, K., 233

MA, W.-P., 283 MAEDA, K., 145 MARTIN, A., 59 MARZETTI, A., 71 MCGHEE, J. R., 123 MCINTIRE, F. C., 133 MCNEIL, M., 133, 299 MESSMER, A., 101 MICHALEK, S. M., 123 MIKHAILOV, S. N., 219 MONNERET, C., 59

NOBLE, O., 1

Онміча, К., 145

País, M., 59 Picq et D. Anker, D., 309 Pintér, I., 101 Pócsik, I., 27 Pring, B. G., 233 Pritchard, D. G., 123

RINAUDO, M., 71 RING, S. G., 162 ROBYT, J. F., 283

Santoro, C., 71
Sarathy, C., 263
Sasaki, K., 171
Sathyanarayana, B. K., 181
Sato, K.-I., 253
Serianni, A. S., 85
Shimizu, C., 314
Shimizu, S., 145
Singh, R. B., 253
Singh, R. P., 113
Snyder, J. R., 85
Somogyi, L., 166
Stevens, E. S., 181
Stortz, C. A., 317
Summers, M. F., 47

TARAVAL, F. R., 1 TAYLOR, I. E. P., 171 TEEÄÄR, R., 27 TJOA, S. S., 133 TOMPA, K., 27 TOTH, G., 101 TSAPKINA, E. N., 219

WALLNER, S. J., 299 WEHLER, T., 271 WILSON, R. H., 162 WU,. S.-S., 133 Yамамото, Y., 156 Yoshimura, J., 253

## SUBJECT INDEX

3-O-(2,3-Anhydro-4-deoxy- $\alpha$ -L-hexopyranosyl)-1,2:5,6-di-O-isopropylidene- $\alpha$ -D-glucofuranose, crystal structure and conformation of, 19

Anthracycline, glycoside analogues, synthesis of, 59

Antigen of Streptococcus mutans serotype f, structure of the polysaccharide, 123

DL-Apiose substituted with stable isotopes: synthesis, n.m.r.-spectral analysis and furanose anomerization, 85

Application of new, high-sensitivity, <sup>1</sup>H-<sup>13</sup>Cn.m.r.-spectral techniques to the study of oligosaccharides, 35

L-Arabino-D-xylan from the bark of Cinnamomum zeylanicum, the structure of an, 263

Arabinogalactan, of Mycobacterium leprae and Mycobacterium tuberculosis cell wall, demonstration of the furanoid form of the galactosyl and arabinosyl residues in, 299

Azides, 2-deoxy-2-iodoglycosyl, synthesis of, 195

Borate interaction with guar, study by n.m.r. spectroscopy of, 1

Capsular polysaccharide, of *Haemophilus in-fluenzae* type a, structural study of, 47

Carrageenans, specific fragmentation of, 317

Cinnamomum zeylanicum, the structure of an Larabino-D-xylan from the bark of, 263

Conformational and X-ray investigations of methyl 2,6-di-O-acetyl-3,4-anhydro-α-DL-(6,6-2H<sub>2</sub>)galactopyranoside, 13

C.p.-d.d.-m.a.s. <sup>13</sup>C-n.m.r. investigations of anhydrous and hydrated cyclomalto-oligo-saccharides: the role of water of hydration, 27

Crystal structure and conformation of 3-O-(2,3-anhydro-4-deoxy- $\alpha$ -L-lyxo-hexopyranosyl)-1,2:5,6-di-O-isopropylidene- $\alpha$ -D-glucofuranose, 19

Cyclic monothioacetals of aldoses: synthesis and desulphuration of 2-polyacetoxyalkyl-1,3-oxathiolan-5-ones and -3,1-benzoxathian-4-ones, 166

Cyclic urea derivatives of sugars via phosphinimines, a new route to, 101

Cyclomalto-oligosaccharides, c.p.-d.d.-m.a.s.

13C-n.m.r. investigations of anhydrous and hydrated, 27

Demonstration that the galactosyl and arabinosyl residues in the cell-wall arabinogalactan of *Mycobacterium leprae* and *Mycobacterium tuberculosis* are furanoid, 299

2-Deoxy-2-iodoglycosyl phosphoramidates, synthesis of, 195

3-Deoxy-D-manno-octulosonic acid (KDO), synthesis of analogues of, as potential inhibitors of CMP-KDO synthesis, 233

 $\alpha$ -(2 $\rightarrow$ 9)-Disialic acid, synthesis of, 314

Endo- $(1\rightarrow 4)$ - $\beta$ -D-glucanase, from *Ruminococcus* albus, purification and properties of, 145

Enzymic hydrolysis of malto-oligosaccharides, a comparison of the kinetics of acid and, 71

Exchange reactions, C-1H-C-2H, with Raney nickel in deuterium oxide, 171

Fluoropyranosides, deoxy-synthesis with the triethylamine·3 hydrogen fluoride complex of, 309

Gelation and retrogradation of waxy-maize starch, a Fourier-transform infrared study of the, 162

6-O-α-D-Glucopyranosylcyclomaltohexaose, <sup>1</sup>H and <sup>13</sup>C resonance assignments and primary structure determination of, using 2D-n.m.r. spectra, 156

Glycoside analogues, L-arabino and L-lyxo, synthesis of, 59

Guar-borate interaction, study by n.m.r. spectroscopy of, 1

Hexasaccharide, structure of a new, from the coaggregation polysaccharide of *Streptococcus sanguis* 34, 133

Higher-carbon sugars, synthesis of, via vinyltin derivatives of simple monosaccharides, 211

Infrared study of the gelation and retrogradation of waxy-maize starch, a Fourier-transform, 162

Inhibitors of CMP-KDO synthetase, synthesis of analogues of 3-deoxy-D-manno-octulosonic acid (KDO) as potential, 233

Inositol epimers, six per-C-deuterated, preparative-scale separation by anion-exchange chromatography, 171

Kansosamine, N-acyl-, 253

Kinetics of enzymic hydrolysis of malto-oligosaccharides: a comparison with acid hydrolysis, 71

Malto-oligosaccharides, a comparison of the kinetics of enzymic and acid hydrolysis of, 71

Methyl 2,6-di-O-acetyl-3,4-anhydro-α-DL-(6,6-<sup>2</sup>H<sub>2</sub>)galactopyranoside, conformational and Xray investigations of, 13

2'-C-Methylnucleosides, new syntheses of, starting from D-glucose and D-ribose, 219

New n.m.r.-spectroscopic approaches for structural studies of polysaccharides: Application to the *Haemophilus influenzae* type a capsular polysaccharide, 47

New route to cyclic urea derivatives of sugars via phosphinimines, 101

New syntheses of 2'-C-methylnucleosides starting from D-glucose and D-ribose, 219

N.m.r. investigations of anhydrous and hydrated cyclomalto-oligosaccharides, c.p.-d.d.-m.a.s. <sup>13</sup>C, 27

2D-N.m.r. spectra of 6-O-α-D-glucopyranosylcyclomaltohexaose; <sup>1</sup>H and <sup>13</sup>C resonance assignments and primary structure determination, 156

N.m.r. study of some Shigella flexneri O-polysaccharides, a 2D-1H-, 271

Nuclear-magnetic-resonance, spectroscopy study of guar-borate interactions, 1

Oligosaccharides, application of new, high-sensitivity, <sup>1</sup>H-<sup>13</sup>C-n.m.r.-spectral techniques to the study of, 35

Phosphinimimes, a new route to cyclic urea derivatives of sugars via, 101

Phosphoramides, 2-deoxy-2-iodoglycosyl, synthesis of, 195

2-Polyacetoxyalkyl-1,3-oxathiolan-5-ones and -3,1-benzoxathian-4-ones, synthesis and desulphuration of, 166

Polysaccharide, the coaggregation, of *Streptococcus sanguis* 34, structure of a new hexasaccharide from, 133

Polysaccharides, a 2D-1H-n.m.r. study of some Shigella flexneri O-, 271

Polysaccharides, new n.m.r.-spectroscopic approaches for structural studies of, 47

Preparation and characterization of soluble starches having different molecular sizes and composition by acid hydrolysis in different alcohols, 283

Preparative-scale separation by anion-exchange chromatography of six per-C-deuterated inositol epimers produced during C-1H-C-2H exchange reactions with Raney nickel in deuterium oxide, 171

Purification and properties of endo-(1→4)-β-D-glucanase from Ruminococcus albus, 145

Resonance assignments and primary structure determination of 6-O-α-D-glucopyranosyl-cyclomaltohexaose, use of 2D-n.m.r. spectra for <sup>1</sup>H and <sup>13</sup>C, 156

Saccharides, the optical activity of, a semiempirical theory of, 181

Semiempirical theory of the optical activity of saccharides, 181

Shigella flexneri O-polysaccharides, a 2D-1Hn.m.r. study of some, 271 L-Sibirosaminide, methyl, 253

Solanum berthaultii Hawkes (PI 265 857), type B glandular trichomes, isolation of 3,3',4,6-tetra-O-acylated sucrose esters from, 113

Specific fragmentation of carrageenans, 317

Starches, soluble, having different molecular sizes and composition, preparation of, by acid hydrolysis in different alcohols, 283

Streptococcal polysaccharide, group A-variant, immunological identity between Smith-degraded S. mutans polysaccharide and, 123

Streptococcus mutans serotype f, structure of the polysaccharide, 123

Structure of a new hexasaccharide from the coaggregation polysaccharide of *Streptococcus* sanguis 34, 133

Structure of an L-arabino-D-xylan from the bark of Cinnamomum zeylanicum, 263

Sucrose, 3,3',4,6-tetra-O-acylated, isolation from type B glandular trichomes of *Solanum* berthaultii Hawkes (PI 265 857) of, 113

Sugars, amino, novel branched-chain, synthesis of, 253

Syntheses of 2'-C-methylnucleosides starting from D-glucose and D-ribose, new, 219

Synthesis and desulphuration of 2-polyacetoxyalkyl-1,3-oxathiolan-5-ones and -3,1-benzoxathian-4-ones, 166

Synthesis, n.m.r.-spectral analysis, and furanose anomerization of DL-apiose substituted with stable isotopes, 85

Synthesis of analogues of 3-deoxy-D-mannooctulosonic acid (KDO) as potential inhibitors of CMP-KDO synthesise, 233

Synthesis of L-arabino and L-lyxo anthracycline glycoside analogues, 59

Synthesis of  $\alpha$ -(2 $\rightarrow$ 9) disialic acid, 314

Synthesis of higher-carbon sugars via vinyltin derivatives of simple monosaccharides, 211

Synthesis of novel, branched-chain amino sugars: methyl L-sibirosaminide and N-acylkansosamine, 253

3,3',4,6-Tetra-O-acylsucrose, isolation from type B glandular trichomes of *Solanum berthaultii* of, 113

Triethylamine · 3 hydrogen fluoride, synthesis of deoxyfluoropyranosides and desilylation with silyl groups, scission with the triethylamine · 3 hydrogen fluoride complex of, 309

Vinyltin derivatives of simple monosaccharides, synthesis of higher-carbon sugars *via*, 211

Waxy-maize starch, a Fourier-transform infrared study of the gelation and retrogradation of, 162

X-Ray and conformational investigations of methyl 2,6-di-O-acetyl-3,4-anhydro-α-DL-(6,6-2H<sub>2</sub>)galactopyranoside, 13

